


日付 H9.3	尺 度 1 : 2		製品名 散水栓ボックス
設計 白須賀	照査 園 原	図面名 SB25-13 承認図	図 番 SBW00036
製図 岸 本	検図 園 原		




株式会社 **SPG**

Technical drawing of the front view of a rectangular box. The overall width is 235 and the overall height is 190. The box has a 10-unit wide top flange and a 10-unit wide bottom flange. The side flanges are 10 units wide. The main body of the box is 215 units wide and 170 units high. A dashed line indicates the internal structure. A label "HL" is shown on the right side. A circular feature with a crosshair is located at the bottom center, with a 24-unit diameter. A note "片側溶接止め" (One-sided welding stop) points to the top right corner.






日付 H9.3	尺 度 1 : 2		製品名 散水栓ボックス
設計 白須賀	照査 園 原	図面名 SB25-14 承認図	図 番 SBW00037
製図 岸 本	検図 園 原		
株式会社 SPG			

△	改訂日	改訂内容
1	H16. 7. 8	扉受け軸 φ7→φ6に変更
△		



5	イカリ型つまみ	タキゲン A-20-5	1	
4	扉受け軸	SUS304 φ7 φ6	1	
3	本体	SUS304 0.7t 2B	1	
2	蓋	SUS304 1.0t HL	1	
1	枠	SUS304 1.0t HL	1	
図番	品名	材質	数量	
日付	材質	板厚	検印	型番
H16. 4				SB25-15
設計	白須賀	尺度		品名
製図	岸本	1:2		散水栓ボックス
株式会社 SPG				図番 壁用 いかり型つまみ式

△	改訂日	改訂内容
△	H16. 7. 8	扉受け軸 φ7→φ6に変更
△		



5	システムロック	タキゲンC-35A	1	
4	扉受け軸	SUS304 φ7 φ6	1	
3	本体	SUS304 0.7t 2B	1	
2	蓋	SUS304 1.0t HL	1	
1	枠	SUS304 1.0t HL	1	
図番	品名	材質	数量	
日付	材質	板厚	検印	型番
H16. 4				SB25-16
設計	白須賀	尺度		品名
製図	岸本	1:2		散水栓ボックス
株式会社 SPG				図番
				壁用 鍵付